


31.5" Kitchen display system SPEC



Product Features:

- True Flat Touch Screen with Streamline
- Intel Elkhart Lake J6412 to 2.0 GHz
- Metal housing
- Support OS: Windows 10/Windows 11/Linux
- Support Wifi / Bluetooth
- Front panel IP54 protection design, oil proof, waterproof and corrosion resistant
- Support VESA wall mounted, do not occupy the kitchen space.

SPEC:

Display SPEC	
Model	KX315
Display ratio	16:9
Active Area (mm)	698.4 × 392.85 (H×V)
Pixel Number	1920*1080
Pixel Pitch(um)	121.25 (H) × RGB × 367.75 (V)
Color	16.7M
WHITE Luminance	350cd/m2 (Panel Typ.)
Contrast	1200:1 (Panel Typ.)
Response Time (Gray to gray)	10 ms
Viewing Angle	178° (H) / 178° (V)

Performance Specification	
CPU	Intel Elkhart Lake J6412 to 2.0 GHz
Memory	8GB
Storage	M.2 128 GB (256G Option)
LAN	RJ45 x 2

WIFI	Yes, 2. 4G /5G
Bluetooth	BT 4.2
OS	Windows 10/Windows 11/Linux

Touch SPEC

Touch Points	10 Points
Response time	≤10ms
Surface material	Glass to Glass
Surface hardness	6H
Touch the medium	Finger or A capacitor pen
Touch life	Any point can withstand more than 50 million touches


I/O

VGA	15pin D-Sub*1
HDMI	HDMI*1
COM	COM*2
USB	USB3.0 *2, USB2.0 *4
Audio	Mic in*1, Audio out*1
LAN	LAN (RJ45)*2

Other Spec:

Power	DC:12V 7.0A (Adapter input: AC 100V-240V)
Power consumption	Max: 70W
Product Dimensions	759.96mm (W) *453.76mm (H) *59.8mm (D)
Operating Condition	Temp. : 0°C ~ 50°C
	Hum. : 20% ~ 80%
Storage Condition	Temp. : -20°C ~ 60°C
	Hum. : 10% ~ 90%

Product I/O:



Product dimensions:

